

#### ■ Combination Pliers

- · Chrome Vanadium Steel Material
- . High-frequency hardened cutting edges for optimum power and durability
- · Precision machined jaws, ideal for gripping, twisting and cutting
- · Comfort double dipped, non-slip grip handle
- Manufacturing according to DIN ISO 5746



ITEM NO.	SIZE(inch)	4	台
DBAB2206B	6	10	40
DBAB2207B	7	10	40
DBAB2208B	8	10	40

#### Heavy Duty Diagonal Cutting Pliers

- · Chrome Vanadium Steel Material
- High-leverage design, rivet is closer to the beveled cutting edge for optimum cutting power Individually high frequency induction hardened cutting edges for long service life
- Comfort double dipped, non-slip grip handle
   Manufacturing according to DIN ISO 5749



ITEM NO.	SIZE(inch)	4	台
DEAC2207B	7	10	40
DEAC2208B	8	10	40

#### Long Round Nose Pliers

- · Chrome Vanadium Steel Material
- · Precision ground, long round jaws with smooth tips
- · Ideal for bending wire loops and hoops
- · Comfort non-slip grip handle



•		



ITEM NO.	SIZE(inch)	8	台
DFAL2206B	6	10	40

## **Professional Cutting & Gripping Pliers**

- Quality Tool Steel
- Precision Machined
- Duly Tempered and Hardened

## **NEW MODEL**

#### Long Nose Pliers

- · Chrome Vanadium Steel Material
- Serrated and rigid jaws, ideal for forming, bending, gripping and cutting works
   Individually high frequency induction hardened cutting edges for long service life
   Comfort double dipped, non-slip grip handle
   Manufacturing according to DIN ISO 5745



ITEM NO.	SIZE(inch)	4	台
DFAB2206B	6	10	40
DFAB2208B	8	10	40

### NEW MODEL Slant Edge Cutting Pliers with Wire Stripper NEW MODEL

- Drop Forged S50C Carbon Steel Material
- Hot-riveted joints ensures smooth cutting action and no handle wobble
   Suitable for cutting filament and copper wire of all electrical works and etc
   Comfort non-slip grip plastic handle

ITEM NO.	SIZE(inch)	4	台
DEAA1206B	6	10	40

### HIGH CUTTING CAPACITY PLIERS SERIES

#### ■ Combination Pliers

- · Chrome Vanadium Steel Material
- · Precision-hardened plier head for on-the-job toughness
- · High-frequency hardened cutting edges for optimum power and durability
- · Comfort non-slip grip handle



ITEM NO.	SIZE(inch)	8	台
DBAB2208	8	10	40

- High-Leverage Combination Pliers
   Made of drop forged & heat treated chrome molybdenum alloy steel
   Improved lever action for greater cutting power with less effort

- Precision machined serrated jaws with induction hardened cutting edge
   Includes both flat and conduit gripping jaws for versatile use
   General purpose pliers for cutting Ø3.5mm soft wires, Ø2.0mm hard wires, Ø2.5mm cable wires & Ø3.0mm stainless steel wire



ITEM NO.	SIZE(inch)	56	É
DBAC1209	9	6	72

- Diagonal Cutting Pliers

  Chrome Vanadium Steel Material
  Short jaws and beveled cutting edges permit close cutting of wire
  Hot-riveted joints ensures smooth action and no handle wobble
  Comfort non-slip grip handle



ITEM NO.	SIZE(inch)	\$	台
DEAB2206	6	10	40

## ■ 40° Diagonal Cutting Pliers • Chrome Vanadium Steel Material

- · High-frequency hardened cutting edges for optimum power and durability
- 40° cutting edge design for easy pulling nail from tire
   Comfortable double plastic-coated grip handle






		-		
ITEM NO.	SIZE(inch)	4	台	
DEAD2206	6	10	40	

## **TOPTUL**

### **Professional Cutting & Gripping Pliers**





290

## 289 Pliers

#### ■ End Cutting Nippers

- Chrome Molybdenum Steel Material
   Induction heat-treated cutting edges nip wire and protruding nails
   Sturdy head designed for maximum strength and leverage
- · Comfort non-slip grip handle



#### Slip Joint Pliers

- · Chrome Vanadium Steel Material
- High precision milling smooth jaws for extra grip and ease of handling
- · Serrated and accurately machined jaws provide a firm grip on the objects
- · Comfort non-slip grip handle



ITEM NO.	SIZE(inch)	\$	台	
DJAA1208	8	10	40	

ITEM NO.	SIZE(inch)	4	台	
DHAA1208	8	10	40	

#### ■ Carpenter's Pincers

- · Chrome Vanadium Steel Material
- · Induction hardened cutting edges
- Sturdy head design for maximum strength and leverage
   Suitable to grip and extract nails/tacks without cutting
- · Comfortable non-slip grip handle



ITEM NO.	SIZE(inch)	4	台
DOAA1208	8	10	50

#### ■ Tower Pincers

- Chrome Molybdenum Steel Material
- Induction heat-treated cutting edges nip wire and protruding nails
   Sturdy head designed for maximum strength and leverage
- · Comfort non-slip grip handle



ITEM NO.	SIZE(inch)	4	台
DJAA1209	9	10	40
DJAA1210	10	10	40

#### Tower Pincers

- · Chrome Molybdenum Steel Material
- Induction hardened cutting edges nip wire and protruding nails easily
   Sturdy head design for maximum strength and leverage
- · To twist and cut wire in one operation
- . Maximum cutting capacity: Ø1.6mm (medium hard wires and nails)



ITEM NO.	SIZE(inch)	용	台
DJAA0110	10	10	40







#### Cable Cutter

- Chrome Vanadium Steel Material
- Professional heat treated & machined cutting edge
- · Shear action for a clean, precise cut
- · Comfortable double plastic-coated grip handle
- · Cut copper and aluminum cable · Notched end for stripping wires





ITEM NO.	MAX. CUTTING CAPACITY (mm²)	(inch)	4	台
DNAA1206	22			120

- Cable Cutter
   Chrome Vanadium Steel Material
- Induction hardened cutting edge
- Shear action for a clean, precise cut
   Comfortable double plastic-coated grip handle
- · Cut copper and aluminum cable
- · Notched end for stripping wires



ITEM NO.	MAX. CUTTING CAPACITY (mm²)	(inch)	4	台
DNAA1208	38	8	6	72

#### Cable Cutter

- Chrome Vanadium Steel Material
- · Induction hardened cutting edge
- · Shear action for a clean, precise cut · Comfortable double plastic-coated grip handle



ITEM NO.	MAX. CUTTING CAPACITY (mm²)	L (inch)	4	台
DNAA1210	60	10	6	48

## Heavy Duty Wire Cutter

- · Chrome Vanadium Steel Material
- · Induction hardened cutting edge
- · Steel opening spring for long service life
- · Comfortable double plastic-coated grip handle
- . High cutting capacity up to 4.0mm soft/medium wire, 3.0mm hard wire and 2.0mm piano wire



ITEM NO.	LENGTH(mm)	4	台
SBAF0804	200 (8")	6	72

#### Long Reach Nose Pliers

(CR-MO)



ITEM NO.	BENDING(Degree)	SIZE(inch)	8	台
DFAI1211	90°	11	10	40
DFAH1211	45"	11	10	40
DFAG1211	0*	11	10	40

### Long Hose Gripper Pliers

(CR-MO)



ITEM NO.	HEAD(inch)	SIZE(inch)	4	台
DFAD1211	5/16	11	10	40
DFAE1211	1/2	11	10	40
DFAF1211	3/4	11	10	40

### ■ Groove-Joint Water Pump Pliers

- Chrome Vanadium Steel Material
- · 7-position groove joint adjustable head
- Strong self-gripping teeth for joints, fasteners and pipes
   Comfort non-slip grip handle



ITEM NO.	SIZE(inch)	\$	台
DDAA1210	10	10	40

## **Professional Series**

## **Box-Joint Water Pump Pliers** with Quick-Adjust Button

the choice of professionals

- · High grade special tool steel material
- . Optimum lever action with 19-position adjustment
- · Push-lock design allows guick and easy adjustment.
- · Accurately machined jaws provides a firm grip on cylindrical or hexagonal objects
- · Gripping capacity: up to Ø50mm
- · Non-slip, comfort plastic coating handles
- . Compliance with DIN ISO 8976 specification



Induction hardened & precision machined jaw provides optimum gripping power and durability



Comfort non-slip

grip handle

#### **Professional Series**

Box-Joint Water Pump Pliers with Quick-Adjust Button



			NEW
ITEM NO.	SIZE (inch)	\$	台
DDAG1310	10	10	40





Push-button for quick and

easy adjustment

## **Retaining Ring Pliers**

#### ■ 90° Retaining Ring Pliers

- · Heavy duty model for continuous and intensive operation
- Rigid and precision machined ball-bearing steel tips
- . Drop forged, hardened and tempered tool steel body
- · Slim pliers head for easy access to workpieces
- · Large, easy fitting contact tips prevent circlips from deformation
- · Internal invisible spring assisted opening
- Manufacturing according to DIN 5254 Form B
- · Non-slip, comfort plastic coating handles

### Straight Retaining Ring Pliers

- · Heavy duty model for continuous and intensive operation
- · Rigid and precision machined ball-bearing steel tips
- . Drop forged, hardened and tempered tool steel body · Slim pliers head for easy access to workpieces
- · Large, easy fitting contact tips prevent circlips from deformation
- · Internal invisible spring assisted opening
- · Non-slip, comfort plastic coating handles . Manufacturing according to DIN 5254 Form A





For external ring. Internal invisible spring-assisted opening mechanism

Sturdy, inserted ball

10

10

40

40

CAPACITY(Ø)

10~25mm

19~60mm

40~100mm



For external ring



Internal invisible spring-assisted opening mechanism



bearing steel tips

ITEM NO.	SIZE(inch)	CAPACITY(Ø)	3	台	
DCBB1305	5	10~25mm	10	40	
DCBB1307	7	19~60mm	10	40	
DCBB1309	9	40~100mm	10	40	

#### ■90° Retaining Ring Pliers

ITEM NO. DCBA1305

DCBA1307

DCBA1309

- · Heavy duty model for continuous and intensive operation
- Rigid and precision machined ball-bearing steel tips
   Drop forged, hardened and tempered tool steel body
- · Slim pliers head for easy access to workpieces · Large, easy fitting contact tips prevent circlips from deformation
- · Internal invisible spring assisted opening
- · Non-slip, comfort plastic coating handles
- Manufacturing according to DIN 5256 Form D

### Straight Retaining Ring Pliers

- Heavy duty model for continuous and intensive operation
   Rigid and precision machined ball-bearing steel tips
- Drop forged, hardened and tempered tool steel body
- · Slim pliers head for easy access to workpieces · Large, easy fitting contact tips prevent circlips from deformation
- · Internal invisible spring assisted opening
- · Non-slip, comfort plastic coating handles
- . Manufacturing according to DIN 5256 Form C





For internal ring.

DCBC1305

DCBC1307

DCBC1309



CAPACITY(Ø)

12~25mm

19~60mm

Internal invisible spring-assisted

SIZE(inch)



Sturdy, inserted ball

10

出

40

40



12 to 100 mm diameter



spring-assisted opening mechanism



ITEM NO.	SIZE(inch)	CAPACITY(Ø)	4	台	
 DCBD1305	5	12~25mm	10	40	
DCBD1307	7	19~60mm	10	40	
DCBD1309	9	40~100mm	10	40	

### **Retaining Ring Pliers**

#### ■ 90° Retaining Ring Pliers

- · Chrome Vanadium Steel Material
- · Spring-assisted opening for external circlip
- · Anti-slip, turned tips
- · Comfort non-slip grip handle
- Manufacturing according to DIN 5254 Form B



ITEM NO.	SIZE(inch)	CAPACITY(Ø)	8	台
DCAA1205	5	10~25mm	10	40
DCAA1207	7	19~60mm	10	40
DCAA1209	9	40~100mm	10	40
DCAA1212	12	85~140mm	4	24

#### Straight Retaining Ring Pliers

- · Chrome Vanadium Steel Material
- · Spring-assisted opening for external circlip
- · Anti-slip, turned tips
- · Comfort non-slip grip handle



ITEM NO.	SIZE(inch)	CAPACITY(Ø)	3	台
DCAB1205	5	10~25mm	10	40
DCAB1207	7	19~60mm	10	40
DCAB1209	9	40~100mm	10	40
DCAB1212	12	85~140mm	6	36

#### ■ 90° Retaining Ring Pliers

- · Chrome Vanadium Steel Material
- · Spring-assisted opening for internal circlip
- · Anti-slip, turned precision tips
- · Comfort non-slip grip handle
- Manufacturing according to DIN 5256 Form D



ITEM NO.	SIZE(inch)	CAPACITY(Ø)	4	台	
DCAC1205	5	12~25mm	10	40	
DCAC1207	7	19~60mm	10	40	
 DCAC1209	9	40~100mm	10	40	

#### ■ Straight Retaining Ring Pliers

- · Chrome Vanadium Steel Material
- · Spring-assisted opening for internal circlip
- · Anti-slip, turned precision tips
- · Comfort non-slip grip handle



ITEM NO.	SIZE(inch)	CAPACITY(Ø)	8	台
DCAD1205	5	12~25mm	10	40
DCAD1207	7	19~60mm	10	40
DCAD1209	9	40~100mm	10	40

#### ■ 90° Retaining Ring Pliers

- · Chrome Vanadium Steel Material
- · For internal circlips
- · Anti-slip, turned tips · Comfort non-slip grip handle
- Manufacturing according to DIN 5256 Form D



ITEM NO.	SIZE(inch)	CAPACITY(Ø)	8	台	
DCAC1212	12	85~140mm	4	24	

#### Straight Retaining Ring Pliers

- · Chrome Vanadium Steel Material
- · For internal circlips
- Comfort non-slip grip handle Manufacturing according to DIN 5256 Form C



ITEM NO.	SIZE(inch)	CAPACITY(Ø)	8	台	
DCAD1212	12	85~140mm	6	36	

## **Retaining Ring Pliers Set**

#### ■4PCS

Retaining Ring Pliers Set



ITEM NO.	CONTENTS	
GPAQ0401	1DCAB1207	
	Straight Retaining Ring Pliers	
	(External Ring) - 7"	
	1DCAD1207	
	Straight Retaining Ring Pliers	
	(Internal Ring) - 7*	
	1 DCAA1207	
	90° Retaining Ring Pliers	
	(External Ring) - 7"	
	1DCAC1207	
	90° Retaining Ring Pliers	
	(Internal Ring) - 7*	

#### ■4PCS

Retaining Ring Pliers Set



ITEM NO.	CONTENTS	20 (SET)
GPAQ0402	1DCBB1307	
	Straight Retaining Ring Pliers	
	(External Ring) - 7*	
	1 DCBD1307	
	Straight Retaining Ring Pliers	
	(Internal Ring) - 7*	
	1DCBA1307	
	90° Retaining Ring Pliers	
	(External Ring) - 7"	
	1 DCBC1307	
	90° Retaining Ring Pliers	
	(Internal Ring) - 7*	

#### 4PCS

Mini Retaining Ring Pliers Set

- Chrome Molybdenum Steel Material
   Mini-size design for easy access into tight spaces
   Spring-assisted opening for internal / external circlip
   Tip size: 0.038" (1mm) diameter
- · Circlip size: 10 22mm in diameter
- · Comfort non-slip grip handle





12 (SET) CONTENTS 1 Mini 45° Retaining Ring Plier (External Ring) - 3\* Mini Straight Retaining Ring Plier (External Ring) - 3\* 1 Mini 45° Retaining Ring Pli (Internal Ring) - 3" Mini Straight Retaining Ring Plier (Internal Ring) - 3"



## **Professional Series**

## Wire Rope Cutter

- · Chrome Molybdenum Alloy Steel
- · Induction heat treated cutting edges for cutting solid materials and
- · Shear-cut and angled blade for clean and sharp cut
- Invisible spring loaded cutting action for easy one handed operation
- Comfortable, anti-slip TPR material plastic soft grip handle
- Max. Cutting Capacity (Diam.): 4mm wire rope & 1.5mm spring wire







#### **Professional Series** Wire Rope Cutter



ITEM NO.	MAX. CUTTING CAPACITY (DIAM.)	SIZE (inch)	4	台
DNCA227E	4	7-1/2	10	40

#### Pro-Series

- Double Hi-Leverage Combination Pliers

   Premium tool steel pliers head for superior strength and durability
- . Induction hardened & precision machined cutting edges
- . Heat treated robust CR-MO joint rivet for smooth and consistent operation
- . Double high-leverage design increases cutting power by 60%
- · Spring-loaded return for quick repetitive opening
- · 1/3 lighter than standard pliers reduces hand fatigue
- Safety lock keeps pliers securely closed when not in use
   Ergonomically designed TPE+TPR plastic grip handle for much improved comfort and added control



			E .
ITEM NO.	SIZE(inch)	\$	台
DBBE2208	8	10	40

#### Pro-Series

### Double Hi-Leverage Diagonal Cutting Pliers

- · Premium tool steel pliers head for superior strength and durability
- Induction hardened & precision machined cutting edges
   Heat treated robust CR-MO joint rivet for smooth and consistent operation
- Double high-leverage design increases cutting power by 60%
- · Spring-loaded return for quick repetitive opening
- · 1/3 lighter than standard pliers reduces hand fatigue
- · Safety lock keeps pliers securely closed when not in use
- Ergonomically designed TPE+TPR plastic grip handle for much improved comfort and added control



ITEM NO.	SIZE(inch)	4	台
DEBF2207	7	10	40

### Double Hi-Leverage Long Nose Pliers

- · Premium tool steel pliers head for superior strength and durability
- Induction hardened & precision machined cutting edges
- Serrated and rigid jaws, ideal for forming, bending works
   Heat treated robust CR-MO joint rivet for smooth and consistent operation
- · Double high-leverage design increases cutting power by 60%
- · Spring-loaded return for quick repetitive opening
- · 1/3 lighter than standard pliers reduces hand fatigue
- · Safety lock keeps pliers securely closed when not in use
- Ergonomically designed TPE+TPR plastic grip handle for much improved comfort and added control



#### ■ Combination Pliers

- Chrome Molybdenum Steel Material
- · Precision-hardened pliers head for on-the-job toughness
- . High-frequency hardened cutting edges for optimum power and durability Ergonomic comfort-grip handle



ITEM NO.	SIZE(inch)	4	台
DBBB2206	6	10	40
DBBB2207	7	10	40
DBBB2208	8	10	40

#### Long Nose Pliers

- Chrome Molybdenum Steel Material
   High-frequency hardened cutting edges for optimum power and durability
- · Serrated and rigid jaws, ideal for forming, bending and precision assembly works
- · Ergonomic comfort-grip handle



ITEM NO.	SIZE(inch)	4	台
DFBB2206	6	10	40
DFBB2208	8	10	40

#### Flat Nose Pliers

- Chrome Molybdenum Steel Material
- High precision milling smooth jaws for extra grip and ease of handling
- · Serrated and accurately machined flat jaws provide a firm grip on the objects
- Ergonomic comfort-grip handle



DFBC2206	6	10	40
ITEM NO.	SIZE(inch)	4	台



www.toptul.com

Pliers

## 297 Pliers

#### Heavy Duty Diagonal Cutting Pliers

- Chrome Molybdenum Steel Material
   High-leverage design, rivet is closer to the cutting edge for optimum cutting and gripping power

  Induction hardened cutting knives for long service life
- · Ergonomic comfort-grip handle



ITEM NO.	SIZE(inch)	4	台
DEBC2207	7	10	40
DEBC2208	8	10	40

- Diagonal Cutting Pliers
   Chrome Molybdenum Steel Material
   Short jaws and beveled cutting edges permit close cutting of wire
- . Hot-riveted joints ensures smooth action and no handle wobble
- · Ergonomic comfort-grip handle



ITEM NO.	SIZE(inch)	4	台
DEBB2206	6	10	40

#### Heavy Duty End Cutting Nippers

- · Chrome Molybdenum Steel Material
- · High-leverage design provides exceptional cutting of hard and soft wire, bolts, nails, rivets and pins
- · Induction hardened precision cutting edges ensures for long service life
- · Ergonomic comfort-grip handle



ITEM NO.	SIZE(inch)	4	台
DJBA2206	6	10	40
DJBA2208	8	10	40

#### ■ Bent Nose Pliers

- Chrome Molybdenum Steel Material
- Bent nose with 45° slant for easy operation in complicated working space
   Serrated and rigid jaws, ideal for forming, bending and precision assembly works
- · Ergonomic comfort-grip handle



ITEM NO.	SIZE(inch)	4	台
DFBA2206	6	10	40
DFBA2208	8	10	40

#### Combination Slip-Joint Pliers (with wire cutter)

- Made of robust Chrome Molybdenum Alloy Steel
   Slim head design for easy access
   Diamond serrated jaws for more gripping power
   High-Frequency hardened cutting edge for long working life





ITEN	NO.	SIZE(inch)	4	台
DHBE	32208	8	10	40
DHBE	32210	10	10	40



#### ■ Box-Joint Water Pump Pliers

- Chrome Molybdenum Steel Material
- . Optimum lever action with 7-position adjustment
- · Heavy duty box-joint design, self-gripping teeth for joints, nuts and pipes
- · Ergonomic comfort-grip handle



200			
ITEM NO.	SIZE(inch)	4	台
DDBA2210	10	10	40


## GAAE03

## **Pliers Set**

■3PCS Pliers Set







■3PCS Pliers Set



ITEM NO.	CONTENTS	∰ 8 (SET)
GAAE0303	1 DBBB2207 Combination Pliers - 7"	
	1 DFBB2208	
	Long Nose Pliers - 8"	
	1 DDBA2210	
	Box-Joint Water Pump Pliers - 10"	

#### **■3PCS**

Pliers Set



o.	CONTENTS	∰ 8 (SET)
04	DBBB2207 Combination Pliers - 7"	
	DEBC2207 Heavy Duty Diagonal Cutting Pliers - 7* DFBB2208 Long Nose Pliers - 8*	

**■3PCS** Pliers Set

ITEM NO



ITEM NO.	CONTENTS	∰ 8 (SET)
GAAE0307	DBBB2208     Combination Pilers - 8"     DEBC2208     Heavy Duty Diagonal Cutting Pilers - 8"     DFBB2208	
	Long Nose Pliers - 8"	

■4PCS Pliers Set



	ITEM NO.	CONTENTS	∰ 8 (SET)
)	GAAE0402	1 DBBB2207 Combination Pliers - 7"	
		1DEBC2207	
		Heavy Duty Diagonal Cutting Pliers - 7"	
		DFBB2208 Long Nose Pliers - 8"	
		1DDBA2210	
_	<u> </u>	Box-Joint Water Pump Pliers - 10"	

U

## **NEW MODEL**

#### ■ Combination Pliers

- . Made of drop forged Chrome Molybdenum Alloy Steel · Precision hardened pliers head for on-the-job toughness
- · High-frequency hardened cutting edges for optimum power and durability
- · Bi-component ergonomic comfort-grip handle



ITEM NO.	SIZE(inch)	4	台
DBBB2207B	7	10	40

NEW MODEL

#### Diagonal Cutting Pliers

- Made of drop forged Chrome Molybdenum Alloy Steel
   Short jaws and beveled cutting edges permit close cutting of wire
   Hot-rivet joint ensures smooth action and no handle wobble
- · Induction-hardened cutting edges for optimum power and durability
- · Bi-component ergonomic comfort-grip handle



ITEM NO.	SIZE(inch)	4	台
DEBB2206B	6	10	40

#### Heavy Duty Diagonal Cutting Pliers

- Made of drop forged Chrome Molybdenum Alloy Steel
   High-leverage design, rivet is closer to the cutting edge for optimum cutting power
- . Induction-hardened cutting edges for optimum power and durability
- · Bi-component ergonomic comfort-grip handle



ITEM NO.	SIZE(inch)	5	台
DEBC2207B	7	10	40





## **Electronics Pliers**

- Electronics

  Combination Pliers

  High precision-machined jaws

  Spring-assisted opening design
  Ergonomic comfort-grip handle



ITEM NO.	SIZE(inch)	4	台	
DBBC2205	5	10	40	

## Electronics

- Long Nose Pliers

  High precision-machined jaws
- · Spring-assisted opening design
- · Ergonomic comfort-grip handle



71 1/2-1-07/17/07			
ITEM NO.	SIZE(inch)	4	台
DFBJ2205	5	10	40

- Diagonal Cutting Pliers

  High precision-machined jaws
  Spring-assisted opening design

■ Electronics

· Ergonomic comfort-grip handle



ITEM NO.	SIZE(inch)	4	台
DEBD2204	4	10	40

#### ■ Electronics

- End Cutter Pliers

   High precision-machined jaws
- Spring-assisted opening design
   Ergonomic comfort-grip handle



ITEM NO.	SIZE(inch)	8	台
DJBB2204	4	10	40

#### ■ Electronics

### Bent Nose Pliers

- · High precision-machined jaws
- Spring-assisted opening design
   Ergonomic comfort-grip handle



ITEM NO.	SIZE(inch)	4	台
DFBK2205	5	10	40

#### ■ Mini Side Cutter Pliers

- . Made of heat treated, hardened 3mm thick Stainless Steel Precision machined jaws for maximum cutting power
- · Superior access in tight-fit applications
- · Smooth spring return action jaws for quick cut and reduce the operational fatigue
- · Environmentally friendly, non-slip PVC comfort grip handles



ITEM NO.	SIZE(inch)	4	台
DEBE204E	4.5	6	120



## **Pro-Series Electronics Pliers**

- Electronics Long Nose Pliers

  Chrome Molybdenum Steel Material

  Induction hardened & precision machined cutting edges
- Spring-loaded return for quick repetitive opening
- · Serrated and rigid jaw, ideal for forming, bending and precision assembly work
- . Max. Cutting Capacity (Diam.): Ø1.6mm copper or similar soft wire
- · Ergonomically designed TPE+TPR plastic grip handle for much improved comfort and added control





ITEM NO.	SIZE(inch)	4	台
DFCJ2206	6	14	56

#### Pro-Series

- Electronics End Cutter Pliers

  Chrome Molybdenum Steel Material
  Induction hardened & precision machined cutting edges
  Spring-loaded return for quick repetitive opening
  Sturdy cutting head design for maximum strength and suits for virtually flush cutting work
- . Max. Cutting Capacity (Diam.): Ø1.6mm copper or similar soft wire
- · Ergonomically designed TPE+TPR plastic grip handle for much improved comfort and added control





ITEM NO.	SIZE(inch)	4	台
D.ICB2205	5	10	40

### Pro-Series

#### Electronics Diagonal Cutting Pliers

- · Chrome Molybdenum Steel Material
- · Induction hardened & precision machined cutting edges
- · Spring-loaded return for quick repetitive opening
- Short Jaws and beveled cutting edges permit close cutting of wire
   Max. Cutting Capacity (Diam.): Ø1.6mm copper or similar soft wire
- Ergonomically designed TPE+TPR plastic grip handle for much improved comfort and added control





ITEM NO.	SIZE(inch)	4	台
 DECD2205	5	10	40

#### Pro-Series

#### Electronics Combination Pliers

- · Chrome Molybdenum Steel Material
- · Induction hardened & precision machined cutting edges
- Spring-loaded return for quick repetitive opening
   Serrated and machined flat jaw provide a firm grip on the most objects
   Max. Cutting Capacity (Diam.): Ø1.6mm copper or similar soft wire
- · Ergonomically designed TPE+TPR plastic grip handle for much improved comfort and added control





ITEM NO.	SIZE(inch)	\$	台
DBCC2205	5	10	40

#### ■ Pro-Series

#### Electronics Bent Nose Pliers

- High grade special tool steel material
   Precision-hardened pilers head for on-the-job toughness
   Non-Teeth design to prevent surface damage on the object
   Spring-loaded return for quick repetitive opening
- Ergonomically designed TPE+TPR plastic grip handle for much improved comfort and added control





ITEM NO.	SIZE(inch)	4	台
DFCK2206	6	14	56

#### ■ Pro-Series

#### Electronics Flat Nose Pliers

- High grade special tool steel material
   Precision-hardened pliers head for on-the-job toughness
- . Non-Teeth design to prevent surface damage on the object
- · Spring-loaded return for quick repetitive opening
- · Ergonomically designed TPE+TPR plastic grip handle for much improved comfort and added control





DFCC2206	6	14	56
ITEM NO.	SIZE(inch)	6	É

#### Pro-Series

#### Electronics Needle Nose Pliers

- High grade special tool steel material
   Precision-hardened pliers head for on-the-job toughness
- . Non-Teeth design to prevent surface damage on the object
- Spring-loaded return for quick repetitive opening
   Ergonomically designed TPE+TPR plastic grip handle for much improved comfort and added control





ITEM NO.	SIZE(inch)	4	台
DFCN2206	6	14	56

#### Pro-Series

#### **Electronics Round Nose Pliers**

- · High grade special tool steel material
- · Professional heat treated and machined nose
- Ideal for precision gripping and bending work in the electronic and mechanical sector
   Spring-loaded return for quick repetitive opening
- · Ergonomically designed TPE+TPR plastic grip handle for much improved comfort and added control





. Suitable for forming and bending wire

ITEM NO.	SIZE(inch)	4	台
DFCL2205	5	10	40

### Pliers



the choice of professionals

## **VDE** Insulated

#### ■VDE Insulated

#### Long Nose Pliers

- · Chrome Molybdenum Steel Material
- Handles insulation meets VDE and international standard DIN EN/IEC 60900
- High-frequency hardened cutting edges for optimum power and durability
   Serrated and rigid jaws, ideal for forming, bending and precision assembly works
- · Ergonomic comfort-grip handle



ITEM NO.	SIZE(inch)	4	台
DGBB2106	6	10	40
DGBB2108	8	10	40

#### ■ VDE Insulated

#### Combination Pliers

- · Chrome Molybdenum Steel Material
- Handles insulation meets VDE and international standard DIN EN/IEC 60900
- · Precision-hardened pliers head for on-the-job toughness
- · High-frequency hardened cutting edges for optimum power and durability
- · Ergonomic comfort-grip handle



ITEM NO.	SIZE(inch)	4	台
DGBA2106	6	10	40
DGBA2107	7	10	40
DGBA2108	8	10	40

#### VDE Insulated

#### Diagonal Cutting Pliers

- · Chrome Molybdenum Steel Material
- Handles insulation meets VDE and international standard DIN EN/IEC 60900
- · Short jaws and beveled cutting edges permit close cutting of wire
- · Hot-riveted joints ensures smooth action and no handle wobble
- · Ergonomic comfort-grip handle



ITEM NO.	SIZE(inch)	4	台
DGBC2106	6	10	40

#### VDE Insulated

#### Box-Joint Water Pump Pliers

- · Chrome Molybdenum Steel Material
- Handles insulation meets VDE and international standard DIN EN/IEC 60900
- Optimum lever action with 7-position adjustment
- Heavy duty box-joint design, self-gripping teeth for joints, nuts and pipes
   Ergonomic comfort-grip handle



ITEM NO.	SIZE(inch)	4	台
DGBE2110	10	10	40

#### ■ VDE Insulated

### Wire Stripping Pliers

- Chrome Molybdenum Steel Material
   Handles insulation meets VDE and international standard DIN EN/IEC 60900
- Induction hardened long life stripping edges
   Easy lockable adjusting screw for setting the desired diameter up to Ø4.5mm
- · Ergonomic comfort-grip handle



ITEM NO.	SIZE(inch)	4	任
DGBD2106	6	10	40

#### ■3PCS

VDE Insulated Pliers Set



ITEM NO.	CONTENTS	∰ 8 (SET)
GAAE0301	DGBA2107  VDE Insulated Combination Pliers - 7"	
	DGBB2108  VDE Insulated Long Nose Pliers - 8"	
	DGBC2106  VDE Insulated Diagonal Cutting Pliers - 6*	

#### 4PCS

VDE Insulated Pliers Set



ITEM NO.	CONTENTS	∰ 8 (SET)
GAAE0406	DGBA2107  VDE Insulated Combination Pliers - 7"	
	1 DGBB2108	
	VDE Insulated Long Nose Pliers - 8"	
	1 DGBC2106	
	VDE Insulated Diagonal Cutting Pliers - 6"	
	1 DGBD2106	
	VDE Insulated Wire Stripping Pliers - 6"	

#### Automatic Wire Stripper

Multi-Purpose Crimping Pliers

- Sliding cross-block design for easy set-up the desired length from 5-12mm
   Ideal for stripping wires diameter from 0.2- 6.0mm² (24-10AWG)
- · Hardened steel blades provide extra strength and longer life
- · Trigger-actuated design provides fast & easy stripping wires



ITEM NO.	CAPACITY ( mm² )	(mm)	8	畄
DICA1306	0.2 - 6.0 (AWG 24~10)	190	10	60

#### ■ Wire Stripping Pliers

- Chrome Molybdenum Steel Material
   Induction hardened long life stripping edges
   Easy lockable adjusting screw for setting the desired diameter up to Ø4.5mm
- · Ergonomic comfort-grip handle



ITEM NO.	SIZE(inch)	4	台
DIBA2206	6	10	40

#### ■ Multi-Purpose Crimping Pliers






ITEM NO.	CAPACITY	€ 10
DIBB2009	Insulated terminals 1.5, 2.5, 4, 6 mm <sup>2</sup>	
	Bolt cutter M2.6, M3, M3.5, M4, M5	
	Open barrel terminals 1.5, 2.5, 4-6 mm <sup>2</sup>	
	Wire stripper 0.75, 1.0, 1.5, 2.5, 4.0, 6.0 mm <sup>2</sup>	
	(with integral wire cuttor)	

CAPACITY 10 Insulated terminals 1.5, 2.5, 4, 6 mm<sup>2</sup> Bolt cutter M2.6, M3, M3.5, M4, M5 Non-insulated terminals 1.5, 2.5, 4-6 mm<sup>2</sup> Wire stripper 0.75, 1.0, 1.5, 2.5, 4.0, 6.0 mm<sup>2</sup> (with integral wire-cutter)

#### ■ Ratchet Crimping Tool for Non-Insulated Terminal

#### ■ Ratchet Crimping Tool for Non-Insulated Terminal





- · Expert quality, chrome molybdenum steel with hardened and tempered jaws
- · Continuous crimping at preset tension ensures accurate and effective crimp
- · Ratchet action ensures consistent crimp tension · Comfortable and soft plastic anti-slip grip handle
- Suitable for most non-insulated terminals

DKBB2307

1.25 - 2 - 3.5 (AWG 22~12)

	1
	1
× 1680/17	1
	1

- . Expert quality, chrome molybdenum steel with hardened and tempered jaws
- Continuous crimping at preset tension ensures accurate and effective crimp
   Ratchet action ensures consistent crimp tension
- · Comfortable and soft plastic anti-slip grip handle
- Suitable for most non-insulated terminals

72

ITEM NO.	CAPACITY ( mm² )	(mm)	8	台
DKBB2315	5.5 - 8 - 14 - 22 - 38 (AWG 12~2)	380	1	12


## Crimping Pliers Series


#### a 2-IN-1 Quick Interchangeable Ratchet Crimping Pliers (for Insulated and non-insulated terminals)

- · Ratchet mechanism crimper stands for superior labor saving
- · Unique exchangeable crimping jaws design for quick installing
- revisable insulated / non-insulated terminals
- Quick insertion changing of jaw without any tool
   Professional AISI 4140 Alloy Steel Crimping Jaws
- · Ergonomic comfort-grip handle









ITEM NO.	CAPACITY	(mm)	\$	台
DKCA2222	Insulated Terminal · AWG 22-18/16-14/12-10 · DIN 0.5-1.0/1.5-2.5/4-6 mm <sup>2</sup>			
	Non-insulated Terminal - AWG 20-18/16-14/12-10/8 - DIN 1.5/2.5/6/10 mm <sup>2</sup> - JIS 1.25/2/5.5/8 mm <sup>2</sup>	220	12	36

#### **■7PCS**

#### Quick Interchangeable Ratchet Crimping Tool Kit

- . Unique integrated lock with releasing mechanism design provides complete crimp
- · Ratchet mechanism crimper stands for superior labor saving
- · Quick insertion changing of jaw without any tool
- Professional AISI 4140 Alloy Steel Crimping Jaws
- · Ergonomic comfort-grip handle
- · Expert quality crimp tool set, suitable for electricians on a variety of applications

	DIN 1 mm <sup>2</sup>	
	Spark Plug Connector	
	DIN 2.5/0.5/8-10 mm <sup>2</sup> 1 DLAA0102	
	Open-Barrel Terminal & D-Sub, V3.5	
	DLAA1002	
	DIN 0.1-0.25/0.25-0.5/0.5-1 mm <sup>2</sup>	
	Open-Barrel Terminal	
	DLAA0101	
	DIN 0.5-1/1.5-2.5/4-6 mm <sup>2</sup>	
	Open-Barrel Terminal	
	1DLAA0602	
	Non-Insulated Terminal DIN 1.5/2.5/6/10 mm²	
	1DLAA1001	
	DIN 0.5-1/1.5-2.5/4-6 mm <sup>2</sup>	
	Insulated Terminal	
	DLAA0601	
3AAI0704	Quick Interchangeable Ratchet Crimper	
3AAI0704	1DKBA2426	
TEM NO.	CONTENTS	10 (SET





В Jaw for non-insulated termina Jaw for insulated terminal

DLAA1001














· Ratchet mechanism crimper stands for superior labor saving

· Quick insertion changing of jaw without any tool

· Ergonomic comfort-grip handle

Professional AISI 4140 Alloy Steel Crimping Jaws





## Surface treatment

- · Treatment: Finished with heat treatment OHRC 38 - 45)
- · Zinc Phosphate Surface Treatment

Material • Material: AISI 4140



#### Suitable for • AWG 22-18/16-14/12-10 + DIN 0.5-1.0/1.5-2.5/4-6mm

#### Surface treatment

- \* Procedure: Precision and Wax-lost Casting \* Procedure: Precision and Wax-lost Casting · Treatment: Finished with heat treatment OIRC 38 - 45)

Material



Surface Treatment

### Suitable for

· AWG 20-18/16-14/12-10/8 • DIN 1.5/2.5/6/10mm · JIS 1.25/2/5.5/8mm

#### Surface treatment

- · Treatment: Finished with heat treatment (HRC 38 - 45)
- · Zinc Phosphate Surface Treatmen

Material

Suitable for

## • AWG 20-18/16-14/12-10

. DIN 0.5-1.0/1.5-2.5/4-6mm



## Surface treatment

- · Treatment: Finished with heat treatment (HRC 38 - 45)
- Zinc Phosphate Surface Treatment

Material

Suitable for AWG 22/20/18/16/14/12 . DIN 0.5/0.75/1.0/1.5/2.5/4.0mm



D Jaw for cord-end insulated F Jaw for cord-end insula terminal (For small size)

Suitable for - AWG 10/8/6 • DIN 6/10/16 mm

Material: AISI 4140

Surface treatment


(HRC 38 - 45)

Treatment

Material

· Treatment: Finished with heat treatment







### ■ Locking Chain Clamp

- · Robust Chrome Molybdenum Alloy Steel handle
- · Professional heat treated and machined
- · Adjustable locking pliers design chain clamp
- · Nickel plated finish



#### Claw-Grip Locking Pliers

- · High quality Chrome Molybdenum Alloy Steel
- · Professional heat treated and machined
- · Powerful non-slip grip for all kinds of clamping jobs
- · Ideal for hard to reach areas
- · Nickel plated finish




ITEM NO.	CHAIN LENGTH (inch)	HANDLE (inch)	\$	台
DMAB1A18	18	9	6	24

#### ■ Deep Throat Claw-Grip Locking Pliers Parrot Nose Locking Pliers with Sawteeth

DMAE1A06

- · High quality Chrome Molybdenum Alloy Steel
- · Professional heat treated and machined
- · Strong sawteeth designed jaw to clamp the screws especially on round ones
- · Ideal for clamping plumbing and round-off screws removal
- · Nickel plated finish





- Professional heat treated and machined
   Powerful non-slip grip for all kinds of clamping jobs
   Ideal for hard to reach areas
- · Nickel plated finish



			0000
ITEM NO.	SIZE(inch)	4	台
DMAD1A09	9	10	50

ITEM NO.	SIZE(inch)	\$	台
DMAF1A06	6	10	60









#### C-Clamp Locking Pliers with Swivel Pads

- High quality, mighty CR-MO jaw
   Robust Chrome Molybdenum Alloy Steel handle
- · Professional heat treated and machined
- Wide jaws provide access to hard to reach areas
   Ideal for clamping angle iron and awkward pieces
   Also useful in metalworking and auto body repair
- · Nickel plated finish



ITEM NO.	SIZE(inch)	<b>E</b>	台
DMAAAAAA		40	72





#### C-Clamp Locking Pliers with Swivel Pads

- High quality, mighty CR-V jaw
   Robust Chrome Molybdenum Alloy Steel handle
- · Professional heat treated and machined
- Ideal for clamping angle iron and awkward pieces
   Nickel plated finish





ITEM NO.	SIZE(inch)	8	台
DMAA1A11	11	6	24
DMAA1A18	18	5	20

#### C-Clamp Locking Pliers with Standard Tip

- High quality, mighty CR-V jaw
   Robust Chrome Molybdenum Alloy Steel handle
- Professional heat treated and machined
- Ideal for clamping angle iron and awkward pieces
   Nickel plated finish



ITEM NO.	SIZE(inch)	8	台
DAAU1A11	11	5	20

### ■ Long Nose Locking Pliers with Wire Cutters

- · Mighty CR-V jaw with cutter in design
- · Robust Chrome Molybdenum Alloy Steel handle
- Professional heat treated and machined
   Nickel plated finish



ITEM NO.	SIZE(inch)	\$	台
DAAS1A06	6	10	80
DAAS1A09	9	10	40

#### Sheet Metal Locking Pliers

- · High quality Chrome Molybdenum Alloy Steel
- · Professional heat treated and machined
- · Suitable for all kinds of bending and crimp edges
- · Nickel plated finish



		200	
ITEM NO.	SIZE(inch)	Filter	<u></u>
		~	Total Control
DAAV1A08	8	1	- :

#### Welding Clamps

- High quality Chrome Molybdenum Alloy Steel
   Professional heat treated and machined
- · Nickel plated finish



OUTE ( L)	_/9	4.1	TEM NO	0.750	A	<i>4</i> 1
SIZE(inch)	65	#	ITEM NO.	SIZE(inch)	(a)	
8	1	30	DAAT1A09	9	1	24

#### Curved Jaw Locking Pliers (X-Jaw Type)

- Mighty CR-V jaw
   Robust Chrome Molybdenum Steel handle
   Special X-Jaw design and mechanism grips tighter as more torque is applied to the pliers
- · Self-engaging lower jaws provides much more gripping power than traditional locking pliers
- · Provided maximum torque without requiring heavy input pressure
- Professional heat treated and machined
- · With adjusting screw and quick release lever
- · Nickel plated finish



ITEM NO.	SIZE(inch)	\$	台
DAAY1A10	10	6	36



· Combination jaw design for gripping flat, round, square and shaped objects



· New X-Jaw, diamond shaped large jaws with cross angled teeth provides much more gripping power with no slipping or stripping

#### Curved Jaw Locking Pliers with Wire Cutters

- Mighty CR-MO jaw with cutter in design
   Robust Chrome Molybdenum Alloy Steel handle
- · Professional heat treated and machined
- · Nickel plated finish



ITEM NO.	SIZE(inch)	#	台
DAAQ1A10	10	10	40

#### Curved Jaw Locking Pliers with Wire Cutters

- Mighty CR-V jaw with cutter in design
   Robust Chrome Molybdenum Alloy Steel handle
- Professional heat treated and machined
- · Nickel plated finish



ITEM NO.	SIZE(inch)	4	台
DAAQ1A05	5	10	80
DAAO1A07	7	10	40

### Straight Jaw Locking Pliers

- High quality Chrome Molybdenum Alloy Steel
   Professional heat treated and machined
- · With adjusting screw and quick release lever
- · Nickel plated finish



ITEM NO.	SIZE(inch)	49	台	
DAAR1A10	10	10	40	

### Straight Jaw Locking Pliers

- High quality, mighty CR-V jaw
   Robust Chrome Molybdenum Alloy Steel handle
- · Professional heat treated and machined
- With adjusting screw and quick release lever
   Nickel plated finish



ITEM NO.	SIZE(inch)	\$	台
DAAR1A07	7	10	40

#### Curved Jaw Locking Pliers with Wire Cutter

- · Mighty CR-V jaw with cutter in design
- · Robust Chrome Molybdenum Alloy Steel handle
- · Professional heat treated and machined
- · Nickel plated finish



ITEM NO.	SIZE(inch)	<b>6</b>	- 台
DAAQ2B07	7	10	40
DAAQ2B10	10	10	40

#### Straight Jaw Locking Pliers

- High quality, mighty CR-V jaw
   Robust Chrome Molybdenum Alloy Steel handle
- · Professional heat treated and machined
- · With adjusting screw and quick release lever
- · Nickel plated finish



ITEM NO.	SIZE(inch)	8	台
DAAR2B07	7	10	40
DAAR2B10	10	10	40



## Hammers & Striking Tools Series

### Different

www.toptul.com

types of hammers, chisels and punches for various workshop applications.



310

# HAMMERS & STRIKING TOOLS SERIES

